

REMARKS

The claims now pending in the application are Claims 1 to 7, 9, 10, 13 to 28, 31 to 33, 35 to 37, 40 to 45 and 47 to 50, the independent claims being Claims 1, 14, 17, 26, 42, 44 and 48. Claims 8, 11, 12, 29, 30, 34, 38, 39 and 46 previously have been cancelled. Claims 1, 14, 17, 26, 42, 44 and 48 have been amended herein.

In the Official Action, dated June 18, 2003, Claims 1 to 7, 9, 10 and 13 were objected to on formal grounds. Claims 44 , 45 and 47 were rejected under 35 U.S.C. § 102(b), as anticipated by U.S. Patent No. 5,159,370 (Takahashi); Claims 48 and 50 were rejected under 35 U.S.C. § 102(b), as unpatentable over U.S. Patent No. 5,648,836 (Sato), Claims 1 to 7, 9, 10 and 13 were rejected under 35 U.S.C. § 103(a), as unpatentable over U.S. Patent No. 5,278,601 (Kawanami) in view of U.S. Patent No. 5,485,200 (Shimizu); Claims 14 , 17, 26, 40 and 41 were rejected under 35 U.S.C. § 103(a), as unpatentable over the Kawanami '601 patent; Claims 15, 16, 18 to 25, 27, 28, 31 to 33 and 35 to 37 were rejected under 35 U.S.C. § 103(a), as unpatentable over the Kawanami '601 patent in view of the Sato '836 patent; Claims 42 and 43 were rejected under 35 U.S.C. § 103(a), as unpatentable over U.S. Patent No. 5,159,370 (Takahashi) in view of U.S. Patent No. 5,475,456 (Haraguchi); and Claim 49 was rejected under 35 U.S.C. § 103(a), as unpatentable over the Sato '836 patent in view of the Kawanami '601 patent. Reconsideration and withdrawal of the objection and rejections respectfully are requested in view of the above amendments and the following remarks.

The formal rejection and various rejections of the claims over the cited art respectfully are traversed. Nevertheless, without conceding the propriety of the objection and rejections, Claims 1, 14, 17, 26, 42, 44 and 48 have been amended herein even more

clearly to recite various novel features of the present invention, with particular attention to the Examiner's comments. Support for the proposed amendments may be found in the original application. No new matter has been added.

The present invention relates to a novel image pickup apparatus. In one aspect, as now recited in Claim 1, the present invention relates to an image pickup apparatus having a camera body and a lens unit. The image pickup apparatus comprises a ring member for driving the lens unit, detection means for detecting a change amount of a rotation of the ring member, control means, arranged in the lens unit, for performing motion/stop control of at least the lens unit along an optical axis in accordance with a detection result by the detection means, and motion direction setting means, arranged in the camera body, for a user to set a desired motion direction of the lens unit relative to the rotation direction of the ring member; the motion direction setting means comprises (i) character display means, (ii) menu setting means, (iii) display means for displaying an image picked up by the image pickup apparatus, (iv) a menu function control unit for controlling the character display means in accordance with the operation state of the menu setting means operated by the user, and for displaying a predetermined menu on a display screen of the display means, and (v) setting means for selecting a desired setting item among a plurality of items of the predetermined menu displayed on the display means by the menu function control unit and setting a condition regarding the motion direction of the lens unit.

In another aspect, as now recited in independent Claim 14, the present invention relates to an image pickup apparatus having a camera part and a lens part detachably mounted on the camera part, with a magnification lens and a ring member that

drives the lens part. In this aspect, the image pickup apparatus comprises communication means for performing communication between the camera part and the lens part, detection means which detects a change amount of a rotation of the ring member for driving the lens part, camera control means, provided in the camera part, for selecting and determining a response characteristic between an output of the detection means and a motion of the magnification lens, and for transmitting the selected response characteristic to the lens part, lens control means, provided in the lens part, for receiving information concerning the selected response characteristic transmitted from the camera control means through the communication means, and for controlling the motion of the magnification lens in response to the operation of the ring member in accordance with the selected response characteristic, and storing means, arranged in the camera part, for storing information of the response characteristic so that the camera part can hold the selected response characteristic throughout attaching/removing of the lens part.

Independent Claims 17 and 26 respectively recite similar aspects of the present invention with respect to (i) an image pickup apparatus having a camera part on which a lens part is detachably mountable, where the lens part has a ring member that drives the lens part, and (ii) an image pickup apparatus having an image pickup apparatus main body and a lens part, detachably mounted on the main body, which has a magnification lens and a ring member disposed concentrically about a lens optical axis.

In another aspect, as now recited in independent Claim 42 the present invention relates to an image pickup apparatus comprising a ring member disposed concentrically about a lens optical axis of a lens unit, detection means for detecting a change amount of rotation of the ring member, control means for performing motion/stop

control of at least a magnification lens group along the optical axis in accordance with a detection result by the detection means, and inhibition means for inhibiting the control means from performing the stop control during a predetermined period when the detection means detects a stop of rotation of the ring member, and for causing the control means to continue movement of the magnification lens group when the detection means detects rotation of the ring member.

In another aspect, as now recited in independent Claim 44, the present invention relates to an image pickup apparatus comprising a ring member disposed concentrically about a lens optical axis of a lens unit, detection means for detecting a change amount of rotation of the ring member, control means for determining motion direction and speed of a magnification lens group in accordance with an output of the detection means and performing motion/stop control of the magnification lens group along the optical axis, and change means for changing a sensitivity of motion/stop control of the control means relative to a detection result of the detection means so that the control means does not effect the motion control until an amount of rotation of the ring member, corresponding to the changed sensitivity, is detected by the detection means.

In yet another aspect, as now recited in independent Claim 48, the present invention relates to an image pickup apparatus having a magnification lens group. The image pickup apparatus comprises a ring member disposed concentrically about a lens optical axis, detection means for detecting a change amount of a rotation of the ring member, lens control means for determining motion direction and a speed of the magnification lens group in accordance with an output from the detection means, and for performing motion/stop control of the magnification lens group along the optical axis, and

control means for controlling the lens control means so as to automatically change a sensitivity of the motion of the magnification lens group relative to a detection result of the detection means in accordance with a photographing state.

Applicant submits that the prior art fails to anticipate the present invention. Moreover, Applicant submits that there are differences between the subject matter sought to be patented and the prior art, such that the subject matter taken as a whole would not have been obvious to one of ordinary skill in the art at the time the invention was made.

CLAIM 1

Independent Claim 1 has been amended more clearly to recite that an image pickup apparatus of the present invention, which has a camera body and a lens unit, includes motion direction setting means which is arranged in the camera body and comprises display means for displaying a picked-up image and a predetermined menu to be used for setting of items of the menu.

Applicants submit that the Kawanami and Shimizu patents fail to disclose or suggest at least this feature of the present invention. As acknowledged by the Examiner in the Official Action, the reference of Kawanami does not disclose motion detection setting means, as recited in independent Claim 1. The Shimizu patent discloses the feature of setting items using a menu screen displayed on a display of a personal computer 15 (Column 5, lines 36 to 46). However, Applicant submits the Shimizu patent fails to disclose or suggest the feature of a camera that includes the claimed motion detection setting means including a display means to be used for setting of menu items. Nor is the

Shimizu patent believed to add anything to the Kawanami patent that would make obvious the claimed invention.

CLAIMS 14, 17 AND 26

Independent Claims 14, 17 and 26 have been amended to recite more clearly that an image pickup apparatus of the present invention, which has a camera part and a lens part, includes storing means which is arranged in the camera part and stores a response characteristic between a rotation of a ring member and motion of a magnification lens so that the camera part can hold a selected response characteristic throughout attaching/removing of the lens part. For example, even after the lens part is detached from the camera part, the camera part of the present invention holds the response characteristic selected for the detached lens part.

Applicant submits that the Kawanami patent fails to disclose or suggest at least this feature of the present invention. Rather, Applicant submits the Kawanami patent merely teaches to use an EEPROM which can hold stored data even after an electric power supply is turned off. Applicant submits the Kawanami patent fails to disclose or suggest the claimed relationship between holding a response characteristic information of a lens part and attaching/removing thereof.

CLAIM 42

Independent Claim 42 has been amended to recite even more clearly that an image pickup apparatus of the present invention inhibits performing of stop control of a lens group during a predetermined period when stop of rotation of a ring member is

detected, and to continue movement of the lens group when the rotation of the ring member is detected. Applicant submits that the Takahashi and Haraguchi patents fail to disclose or suggest at least these features.

As acknowledged by the Examiner, the Takahashi patent fails to disclose or suggest the claimed inhibition means. Applicant submits that the Haraguchi patent discloses the feature to continue to drive a lens during a predetermined period after a stop command has been issued, and to stop the lens precisely at a terminal position. However, Applicant notes that this is only a stop operation of the lens, and submits, therefore, that the Haraguchi patent fails to disclose or suggest a feature where the inhibition means also causes lens control means to continue drive of a lens when rotation of a ring member of the lens is detected, as disclosed and claimed in the present application. Nor is the Haraguchi patent understood to add anything to the Takahashi patent that would make obvious the claimed invention.

CLAIM 44

Independent Claim 44 has been amended to recite even more clearly that an image pickup apparatus of the present invention changes sensitivity of motion/stop control of a lens relative to a change amount of rotation of a ring member so that motion control of the lens is not effected until an amount of rotation of the ring member, which corresponds to the changed sensitivity, is detected.

Applicant submits the Takahashi patent merely teaches to change a lens drive speed in accordance with a focal length, and therefore fails to disclose or suggest the

feature where motion control is based on the changed sensitivity, as disclosed and claimed in the present application.

CLAIM 48

Independent Claim 48 has been amended to recite even more clearly that an image pickup apparatus of the present invention automatically changes a sensitivity of motion of a lens relative to a change amount of a rotation of a ring member in accordance with a photographing state (see, e.g., Fig. 22).

Applicant submits that the Sato patent fails to disclose or suggest at least this feature. The Sato patent merely illustrates in Fig. 1 and disclosed in the corresponding text that a user sets a power zoom operation (Column 5, lines 10 to 19; Column 7, lines 19 to 26; Column 8, lines 31 to 46). This feature is distinguishable from the present invention recited in the amended independent Claim 48.

For the above reasons, Applicant submits that Claims 1, 14, 17, 26, 42, 44 and 48 are allowable over the cited art.

The remaining claims variously depend from Claims 1, 14, 17, 26, 42, 44 and 48, and are believed allowable for the same reasons. Moreover, each of these claims recites additional features in combination with the features of its respective base claim, and is believed allowable in its own right. Individual consideration of the dependent claims respectfully is requested.

Applicant believes that the present Amendment is responsive to each of the points raised in the Official Action, and submit that the Application is in condition for

allowance. Favorable consideration of the claims and passage to issue of the present application at the Examiner's earliest convenience earnestly are solicited.

Applicant's attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our below listed address.

Respectfully submitted,



Attorney for Applicant
Christopher Philip Wrist
Registration No. 32,078

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
Facsimile: (212) 218-2200
CPW/gmc
DC_MAIN 144444v1